Ref #	Hits	Search Query	DBs	Default Operato r	Plural s	Time Stamp
L1	0	("5987513" "5982753" "6430595" "6219718" "6219718" "5745897" "5796736" "6115545" "6032187" "6188691" "6490618" "6532241" "6571272" "6574664" "6795403" "5708654" "5917808" "6292829" "6271845" "5889470" "6085245" "5864865" "5684988" "5737518" "6332142" "6360258" "6581101" "6219703" "6219703" "6404743" "6442144" "6697853" "6728748" "6856591" "5996016" "5758074" "5724510" "5919248" "6006264" "6131120" "5471617" "5907696" "6009274" "6085243" "6108782" "6574662" "5822569" "5961595" "56651006" "6119156").pn.	US-PGPU B; USPAT	AND	ON	2005/09/02 08:08

	T		· · · · · · · · · · · · · · · · · · ·			
L2	47	(("(5987513") or ("5430595") or ("5982753") or ("6430595") or ("6219718") or ("5745897") or ("5796736") or ("6115545") or ("6032187") or ("6188691") or ("6490618") or ("6532241") or ("6571272") or ("6574664") or ("6795403") or ("5708654") or ("5917808") or ("6292829") or ("5889470") or ("6085245") or ("5889470") or ("5684988") or ("5737518") or ("6332142") or ("6332142") or ("6360258") or ("6581101") or ("6219703") or ("6442144") or ("6442144") or ("6697853") or ("6728748") or ("5996016") or ("5758074") or ("5724510") or ("5724510") or ("5919248") or ("6006264") or ("6131120") or ("6009274") or ("6085243") or ("6108782") or ("65822569") or ("5961595") or ("5822569") or ("5961595") or ("5651006") or ("57651006")	US-PGPU B; USPAT	OR	OFF	2005/09/02 08:08
L3	45	I2 and @ad<"20010120"	US-PGPU B; USPAT	AND	ON	2005/09/02 08:11
L4	1	I2 and @ad<"20010120" and intermed\$ with file	US-PGPU B; USPAT	AND	ON	2005/09/02 08:11
S1	2	("6332142").PN.	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	OFF	2005/09/02 08:08

	**			· · · -		
S2	2	("5651006").PN.	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	OFF	2005/04/20 15:36
S3	3085	@ad<"20010120" and (SNMP or (Simple with network with management with protocol))	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	AND	ON	2005/04/20 15:49
S4	2016111	@ad<"20010120"	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	AND	ON	2005/04/20 15:37
S5	7046	(SNMP or (Simple with network with management with protocol))	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	AND	ON .	2005/04/20 15:37
S6	1893	(SNMP or (Simple with network with management with protocol)) same ((management with information with base) or MIB)	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	AND	ON	2005/04/20 15:45
S7	835	S6 and S4	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	AND	ON	2005/04/20 15:37

S8	49	S7 and object with identif\$ same attribut\$	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	AND	ON	2005/04/20 15:38
S9	0	S8 and pluralit\$ near IP with address	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	AND	ON	2005/04/20 15:39
S10	18	S8 and addresses	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	AND	OFF	2005/04/20 15:40
S11	9	S8 and addresses with (IP or (internet with protocol))	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	AND	OFF	2005/04/20 15:40
S12	2367	(SNMP or (Simple with network with management with protocol)) and ((management with information with base) or MIB)	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	AND	ON	2005/04/20 15:50
S13	1078	S12 and S4	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	AND	ON	2005/04/20 15:45

					· · · · · · · · · · · · · · · · · · ·	
S15	282	S13 and IP near addresses	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	AND	OFF	2005/04/20 15:47
S16	23	S13 and plurality with IP with addresses	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	AND	ON	2005/04/20 15:47
S17	0	@ad<"20010120" and (SNMP or (Simple with network with management with protocol)) same intermediate near file	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	AND	ON	2005/04/20 15:49
S18	0	@ad<"20010120" and (SNMP or (Simple with network with management with protocol)) same intermediate near file same parse same output	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	AND	ON	2005/04/20 15:49
S19	0	@ad<"20010120" and (SNMP or (Simple with network with management with protocol)) same (intermediate or temporary) near file same parse same output	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	AND	ON	2005/04/20 15:49
S20	0	(SNMP or (Simple with network with management with protocol)) and ((management with information with base) or MIB) same (intermediate or temporary) near file same parse same output	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	AND	ON	2005/04/20 15:50

				I		
S21	1	(SNMP or (Simple with network with management with protocol)) and ((management with information with base) or MIB) same (intermediate or temporary) near file same translat\$	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	AND	ON	2005/04/20 15:50
S22	1	(SNMP or (Simple with network with management with protocol)) and ((management with information with base) or MIB) same (intermediate or temporary) near file same translat\$ and @ad<"20010125"	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	AND	ON	2005/04/20 15:58
S23	0	(SNMP or (Simple with network with management with protocol)) and ((management with information with base) or MIB) same (intermediate or temporary) near file same translat\$ and @ad<"20010120"	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	AND	ON	2005/04/20 15:51
S24	1	(SNMP or (Simple with network with management with protocol)) and ((management with information with base) or MIB) near file and translat\$ same (intermediate or temporary) and @ad<"20010125"	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	AND	ON	2005/04/20 15:58
S25	632	(SNMP or (Simple with network with management with protocol)) and ((management with information with base) or MIB) near file and translat\$ or parse same (intermediate or temporary) and @ad<"20010125"	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	AND	ON	2005/04/20 15:58

S26	1	(SNMP or (Simple with network with management with protocol)) and ((management with information with base) or MIB) near file and (translat\$ or parse) same (intermediate or temporary) and @ad<"20010125"	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	AND	ON	2005/04/20 15:59
S27	0	(SNMP or (Simple with network with management with protocol)) and ((management with information with base) or MIB) near file and (translat\$ or parse) same (intermediate or temporary) and @ad<"20010120"	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	AND	ON	2005/04/20 15:59
S28	52	(SNMP or (Simple with network with management with protocol)) and ((management with information with base) or MIB) near file and @ad<"20010120"	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	AND	ON	2005/04/20 16:02
S29	1	(SNMP or (Simple with network with management with protocol)) and ((management with information with base) or MIB) near file and @ad<"20010120" and (transition\$ or intermed\$ or temporar\$ or temp or middle) near file	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	AND	ON	2005/04/20 16:11
S30	1	(SNMP or (Simple with network with management with protocol)) and ((management with information with base) or MIB) near file and @ad<"20010120" and (transition\$ or intermed\$ or temporar\$ or temp or middle or translation\$) near file	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	AND	ON	2005/04/20 16:20

S31	6	((management with information with base) or MIB) near file and @ad<"20010120" and (transition\$ or intermed\$ or temporar\$ or temp or middle or translation\$) near file	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	AND	ON	2005/04/20 17:59
S32	34	((management with information with base) or MIB) with file and @ad<"20010120" and (transition\$ or intermed\$ or temporar\$ or temp or middle or translation\$) near file	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	AND	ON	2005/04/20 18:44
S33	3	((management with information with base) or MIB) with file and @ad<"20010120" and (transition\$ or intermed\$ or temporar\$ or temp or middle or translation\$) near file and S5	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	AND	ON	2005/04/20 17:59
S34		("6061349").PN.	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	OFF	2005/04/20 18:46
S35	2	("6058431").PN.	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	OFF	2005/04/20 18:47
S36	2	("6055236").PN.	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	OFF	2005/04/20 18:48

S37	2	("6038233").PN.	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	OFF	2005/04/20 18:48
S38	2	("6028848").PN.	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	OFF	2005/04/20 18:48
S39	2	("5884246").PN.	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	OFF	2005/04/20 18:48
S40	2	("5793763").PN.	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	OFF	2005/04/20 18:48
S41	2	("5636216").PN.	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	OFF	2005/04/20 18:48
S42	2	("5185860").PN.	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	OFF	2005/04/20 18:49

ŗ <u> </u>		r	T		т	
S43	0	("(35 36 37 38 39 40 41 42 4 3)").PN.	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	OFF	2005/04/20 18:49
S44	0	(S34 S35 S36 S37 S38 S39 S40 S41 S42)	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	AND	ON	2005/04/20 18:49
S45	0	S34 S35 S36 S37 S38 S39 S40 S41 S42	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	AND	ON	2005/04/20 18:50
S46	18	S34 S35 S36 S37 S38 S39 S40 S41 S42	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/04/20 18:50
S47	18	S46 and @ad<"20010120"	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/04/20 18:50
S48	0	S46 and @ad<"20010120" and S6	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/04/20 18:50

S49	3	S46 and @ad<"20010120"	US-PGPU	OR	ON	2005/04/20
3	3	and S5	B; USPAT; EPO; JPO; DERWEN T; IBM_TDB		OI1	18:51
S50	0	S46 and @ad<"20010120" and ((management with information with base) or MIB)	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/04/20 18:56
S51	6543	@ad<"20010120" and ((management with information with base) or MIB)	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/04/20 18:56
S52	690	@ad<"20010120" and ((management with information with base) or MIB) with file	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/04/20 18:56
S53	69	@ad<"20010120" and ((management with information with base) or MIB) with file same output	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/04/20 18:59
S54	7	@ad<"20010120" and ((management with information with base) or MIB) with file same output same (pars\$ or translat\$ or transfer)	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/04/20 18:57

		<u> </u>				
S55	18	@ad<"20010120" and ((management with information with base) or MIB) with file same output and S5	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/04/20 19:14
S56	245	winder-p\$.xp,xa.	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	AND	ON	2005/04/20 19:17
S57	7	bruckart-b\$.xa.	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	AND	ON	2005/04/20 19:15
S58	2	bates-k\$.xa.	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	AND	ON	2005/04/20 19:15
S59	2	("5991050").PN.	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	OFF	2005/04/21 09:46
S60		"5651006".pn. and address same object	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	AND	ON	2005/04/21 17:05

S61	2	("6,026,397").PN.	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	OFF	2005/04/21 18:03
S62	2017942 8	@ad<"20010120"	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	AND	ON	2005/08/30 14:20
S63	3223831	@ad<"20010120"	US-PGPU B; USPAT	AND	ON	2005/08/30 14:20
S64	1	("6513066").PN.	US-PGPU B; USPAT	OR	OFF	2005/08/30 16:19
S65	15664	709/223,224,230,213,217, 218,219.ccls.	US-PGPU B; USPAT	AND	ON	2005/08/30 16:21
S66	149	707/103Y.ccls.	US-PGPU B; USPAT	AND	ON	2005/08/30 16:21
S67	5	S65 and S66 and S63	US-PGPU B; USPAT	AND	ON	2005/08/30 16:19
S68	7749	(S65 or S66) and S63	US-PGPU B; USPAT	AND	ON	2005/08/30 16:20
S69	787	(S65 or S66) and S63 and (SNMP or (simple with network with management with protocol))	US-PGPU B; USPAT	AND	ON	2005/08/30 16:20
S70	364	(S65 or S66) and S63 and (SNMP or (simple with network with management with protocol)) and ((Management with Information with Base) or MIB)	US-PGPU B; USPAT	AND	ON	2005/08/30 16:20
S71	173	(S65 or S66) and S63 and (SNMP or (simple with network with management with protocol)) and ((Management with Information with Base) or MIB) and attribut\$	US-PGPU B; USPAT	AND	ON	2005/08/30 16:21

S72	155	(S65 or S66) and S63 and (SNMP or (simple with network with management with protocol)) and ((Management with Information with Base) or MIB) and attribut\$ and (IP or (Internet with Protocol))	US-PGPU B; USPAT	AND	ON	2005/08/30 16:21
S73	118	(S65 or S66) and S63 and (SNMP or (simple with network with management with protocol)) same ((Management with Information with Base) or MIB) and attribut\$ and (IP or (Internet with Protocol))	US-PGPU B; USPAT	AND	ON	2005/08/30 16:21
S74	95	(S65 or S66) and S63 and (SNMP or (simple with network with management with protocol)) same ((Management with Information with Base) or MIB) and attribut\$ and (IP or (Internet with Protocol)) and file	US-PGPU B; USPAT	AND	ON	2005/08/30 16:21
S75	38	(S65 or S66) and S63 and (SNMP or (simple with network with management with protocol)) same ((Management with Information with Base) or MIB) same file and attribut\$ and (IP or (Internet with Protocol)) and file	US-PGPU B; USPAT	AND	ON	2005/08/30 16:22
S76	2017942 8	@ad<"20010120"	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	AND	ON	2005/08/31 11:10
S77	15664	709/223,224,230,213,217, 218,219.ccls.	US-PGPU B; USPAT	AND	ON	2005/08/31 11:11
S78	149	707/103Y.ccls.	US-PGPU B; USPAT	AND	ON	2005/08/31 11:11
S79	3223831	@ad<"20010120"	US-PGPU B; USPAT	AND	ON	2005/08/31 11:11

S80	7749	S79 and (S78 or S77)	US-PGPU B; USPAT	AND	ON	2005/08/31 11:12
S81	96	S79 and (S78 or S77) and (SNMP or (simple with network with management with protocol)) and ((Management with Information with Base) or MIB) same file	US-PGPU B; USPAT	AND	ON	2005/08/31 11:13
S82	208	S79 and (SNMP or (simple with network with management with protocol)) and ((Management with Information with Base) or MIB) same file	US-PGPU B; USPAT	AND	ON	2005/08/31 11:12
S83	64	S79 and (SNMP or (simple with network with management with protocol)) and ((Management with Information with Base) or MIB) near2 file	US-PGPU B; USPAT	AND	ON	2005/08/31 11:12
S84	64	S79 and (SNMP or (simple with network with management with protocol)) and ((Management with Information with Base) or MIB) near2 file	US-PGPU B; USPAT	AND	ON	2005/08/31 11:12
S85	28	S79 and (S78 or S77) and (SNMP or (simple with network with management with protocol)) and ((Management with Information with Base) or MIB) near2 file	US-PGPU B; USPAT	AND	ON	2005/08/31 11:14
S86	17	S79 and (S78 or S77) and (SNMP or (simple with network with management with protocol)) and ((Management with Information with Base) or MIB) near2 file and IP with address	US-PGPU B; USPAT	AND .	ON	2005/08/31 11:14

						
S87	14	S79 and (S78 or S77) and (SNMP or (simple with network with management with protocol)) and ((Management with Information with Base) or MIB) near2 file and IP with address and attribut\$	US-PGPU B; USPAT	AND	ON	2005/08/31 11:15
S88	14	S79 and (S78 or S77) and (SNMP or (simple with network with management with protocol)) and ((Management with Information with Base) or MIB) near2 file and IP with address and attribut\$ and table	US-PGPU B; USPAT	AND	ON	2005/08/31 11:16
S89	9	S79 and (S78 or S77) and (SNMP or (simple with network with management with protocol)) and ((Management with Information with Base) or MIB) near2 file and IP with address and attribut\$ same table	US-PGPU B; USPAT	AND	ON	2005/08/31 11:17
S90	1	S79 and (S78 or S77) and (SNMP or (simple with network with management with protocol)) and ((Management with Information with Base) or MIB) near2 file and IP with address same attribut\$ same table	US-PGPU B; USPAT	AND	ON	2005/08/31 11:17
S91	1	S79 and (SNMP or (simple with network with management with protocol)) and ((Management with Information with Base) or MIB) near2 file and IP with address same attribut\$ same table	US-PGPU B; USPAT	AND	ON	2005/08/31 11:17

	γ					
S92	20	S79 and (S78 or S77) and (SNMP or (simple with network with management with protocol)) and ((Management with Information with Base) or MIB) near2 file and object with identif\$	US-PGPU B; USPAT	AND	ON	2005/08/31 11:18
S93	11	S79 and (S78 or S77) and (SNMP or (simple with network with management with protocol)) and ((Management with Information with Base) or MIB) near2 file and object with identif\$ and IP with address	US-PGPU B; USPAT	AND	ON	2005/08/31 11:24
S94	7	S79 and (S78 or S77) and (SNMP or (simple with network with management with protocol)) and ((Management with Information with Base) or MIB) near2 file same object with identif\$	US-PGPU B; USPAT	AND	ON	2005/08/31 11:18
S95	4	S79 and (S78 or S77) and (SNMP or (simple with network with management with protocol)) and ((Management with Information with Base) or MIB) near2 file same object with identif\$ and IP with address	US-PGPU B; USPAT	AND	ON	2005/08/31 11:24
S96	0	(SNMP or (simple with network with management with protocol)) and ((Management with Information with Base) or MIB) near2 file same object with identif\$ and IP with address	EPO; JPO; DERWEN T	AND	ON	2005/08/31 11:24

						•
S97	7	S79 and (S78 or S77) and (SNMP or (simple with network with management with protocol)) same ((Management with Information with Base) or MIB) near2 file and object with identif\$ and IP with address	US-PGPU B; USPAT	AND	ON	2005/08/31 11:33
S98	3	S79 and (S78 or S77) and (SNMP or (simple with network with management with protocol)) same ((Management with Information with Base) or MIB) near2 file and object with identif\$ and IP and output with file	US-PGPU B; USPAT	AND	ON	2005/08/31 11:33
S99	5	S79 and (SNMP or (simple with network with management with protocol)) same ((Management with Information with Base) or MIB) near2 file and object with identif\$ and IP and output with file	US-PGPU B; USPAT	AND	ON	2005/08/31 11:53
S10 0	1	("6360258").PN.	US-PGPU B; USPAT	OR	OFF	2005/08/31 11:44
S10 1	1	("6532491").PN.	US-PGPU B; USPAT	OR	OFF	2005/08/31 11:52
S10 2	4	S79 and (SNMP or (simple with network with management with protocol)) same ((Management with Information with Base) or MIB) near2 file same object same IP near2 address	US-PGPU B; USPAT	AND	ON	2005/08/31 11:53
S10 3	4	S79 and (SNMP or (simple with network with management with protocol)) and ((Management with Information with Base) or MIB) near2 file same object same IP near2 address	US-PGPU B; USPAT	AND	ON	2005/08/31 13:18

S10 4	2	S79 and (S78 or S77) and (SNMP or (simple with network with management with protocol)) and ((Management with Information with Base) or MIB) near2 file same object same IP near2 address	US-PGPU B; USPAT	AND	ON	2005/08/31 11:53
S10 5	9	S79 and (SNMP or (simple with network with management with protocol)) and ((Management with Information with Base) or MIB) near2 file same object same address	US-PGPU B; USPAT	AND	ON	2005/08/31 13:18
S10 6	6	("5732218" "5742762" "5812529" "5887139" "6018625" "6182157").PN.	US-PGPU B; USPAT; USOCR	AND	ON	2005/08/31 13:33